ELSEVIER

Solar Energy Materials and Solar Cells 34 (1994) 607–612

Solar Energy Materials and Solar Cells

Contents Volume 34

Vol. 34, Nos. 1–4 (September I 1994)

Preface 1

OVERVIEW OF RECENT PHOTOVOLTAIC DEVELOPMENTS

H. Sakai
Status of amorphous silicon solar cell technologies in Japan 9

H.W. Schock
Solar cells based on $CuInSe_2$ and related compounds: recent progress in Europe 19

Y. Kuwano
The PV Era is coming — the way to GENESIS 27

NATIONAL PROJECTS

J.L. Stone
SOLAR 2000: the next critical step towards large-scale commercialization of photovoltaics in the United States 41

J. Song
Recent progress in national photovoltaic project in Korea 51

C. Jivacate et al.
PV development in Thailand 57

K.G. Adanu
Promoting photovoltaic electricity usage in developing countries — Experience from Ghana 67

E. Usher, G. Jean and G. Howell
The use of photovoltaics in a northern climate 73

x-Si

HIGH-EFFICIENCY SINGLE CRYSTAL SILICON SOLAR CELLS

M.A. Green, S.R. Wenham, C.B. Honsberg and D. Hogg
Transfer of buried contact cell laboratory sequences into commercial production 83

P.A. Basore, J.M. Gee, M.E. Buck, W.K. Schubert and D.S. Ruby
Simplified high-efficiency silicon cell processing 91

S.R. Wenham, C.B. Honsberg and M.A. Green
Buried Contact Silicon Solar Cells 101

K. Fukui, Y. Fukawa, H. Takahashi, K. Okada, M. Takayama, K. Shirasawa and H. Watanabe
Large-area high-efficiency single crystalline silicon solar cells 111

C.B. Honsberg, F. Yun, A. Ebong, M. Taouk, S.R. Wenham and M.A. Green
685 mV Open-circuit voltage laser grooved silicon solar cell 117

K. Yoshioka, K. Endoh, M. Kobayashi, A. Suzuki and T. Saitoh
Design and properties of a refractive static concentrator module 125

B. Sørensen
Model optimization of photovoltaic cells 133

Y. Ichikawa
Fabrication technology for large-area a-Si solar cells 321

K. Matsukuma, K. Morita and T. Warabisako
Performance simulation for bifacial silicon solar cells 141

SURFACE PASSIVATION FOR SINGLE CRYSTAL SILICON SOLAR CELLS

A.G. Aberle, G. Heiser and M.A. Green
Two-dimensional minority carrier flow in high-efficiency silicon solar cells at short-circuit, open-circuit and maximum power point operating conditions 149

T. Saitoh, Y. Nishimoto and H. Hasegawa
Measurement of surface recombination velocity of silicon wafers under sunlight condition by novel photoluminescence surface state spectroscopy 161

T. Uematsu, Y. Nagata, H. Ohtsuka, T. Warabisako, H. Nomura and T. Saitoh
Characterization of surface recombination velocity at Si solar cell surface under high injection level 169

C. Leguijt, P. Lölgen, J.A. Eikelboom, P.H. Amesz, R.A. Steeman, W.C. Sinke, P.M. Sarro, L.A. Verhoef, P.-P. Michiels, Z.H. Chen and A. Rohatgi
Very low surface recombination velocities on 2.5 Ω cm Si wafers, obtained with low-temperature PECVD of Si-oxide and Si-nitride 177

M. Kaneiwa, S. Okamoto, I. Yamasaki, M. Nishida and T. Nammori
Cell structures with low–high heterojunction of c-Si and μc-Si:H under rear contact for improvement of efficiencies 183

K. Fujimoto, Y. Sogawa, K. Shima, Y. Okayasu and K. Kumagai
High efficiency silicon solar cells by plasma-CVD method 193

H. Keppner, P. Torres, R. Flückiger, J. Meier, A. Shah, C. Fortmann, P. Fath, G. Willeke, K. Happle and H. Kiess
Passivation properties of amorphous and microcrystalline silicon layers deposited by VHF-GD for crystalline silicon solar cells 201

POLYCRYSTALLINE SILICON SOLAR CELLS

A. Yoshida, M. Kitagawa, F. Tojo, N. Egashira, K. Nakagawa, T. Izumi and T. Hirao
Hydrogen, fluorine ion implantation effects on polycrystalline silicon grain boundaries 211

H. Nakaya, M. Nishida, Y. Takeda, S. Moriuchi, T. Tonegawa, T. Machida and T. Nunoi
Polycrystalline silicon solar cells with V-grooved surface 219

A. Rohatgi, Z. Chen, P. Sana, J. Crotty and J. Salami
High efficiency multicrystalline silicon solar cells 227

H.E. Elgamel, M.Y. Ghannam, C. Vinckier, J. Nijs, R. Mertens and R. Van Overstraeten
Boosting the efficiency of solar cells fabricated on electromagnetic cold crucible cast multicrystalline silicon by means of hydrogen passivation 237

N. Yuge, H. Baba, Y. Sakaguchi, K. Nishikawa, H. Terashima and F. Aratani
Purification of metallurgical silicon up to solar grade 243

POLYCRYSTALLINE THIN-FILM SILICON SOLAR CELLS

M. Konuma, I. Silier, E. Czech and E. Bauser
Semiconductor liquid phase epitaxy for solar cell application 251

S. Arimoto, H. Morikawa, M. Deguchi, Y. Kawama, Y. Matsuno, T. Ishihara, H. Kumabe and T. Murotani
High-efficient operation of large-area (100 cm^2) thin film polycrystalline silicon solar cell based on SOI structure 257

F. Tamura, Y. Okayasu and K. Kumagai
Fabrication of poly-crystalline silicon films using plasma spray method 263

D. He, N. Okada and I. Shimizu
Carrier transport and structural properties of polysilicon films prepared by layer-by-layer technique 271

R. Shimokawa, K. Ishii, H. Nishikawa, T. Takahashi, Y. Hayashi, I. Saito, F. Nagamine and S. Igari
Sub-5 μm thin film c-Si solar cell and optical confinement by diffuse reflective-substrate 277

T. Matsuyama, T. Baba, T. Takahama, S. Tsuda and S. Nakano
Polycrystalline Si thin-film solar cell prepared by solid phase crystallization (SPC) method 285

AMORPHOUS SILICON

HIGH-EFFICIENCY AMORPHOUS SILICON SOLAR CELLS

Y. Ashida
Single-junction a-Si solar cells with over 13% efficiency 291

Y. Hishikawa, M. Isomura, S. Okamoto, H. Hashimoto and S. Tsuda
Effects of the i-layer properties and impurity on the performance of a-Si solar cells 303

W.W. Wenas, A. De, A. Yamada, M. Konagai and K. Takahashi
Optimization of ZnO for front and rear contacts in a-Si solar cells 313

S. Guha, J. Yang, A. Banerjee, T. Glatfelter, K. Hoffman and X. Xu
Progress in multijunction amorphous silicon alloy-based solar cells and modules 329

K. Nomoto, H. Saitoh, A. Chida, H. Sannomiya, M. Itoh and Y. Yamamoto
a-Si alloy three-stacked solar cells with high stabilized-efficiency 339

A. Bubenzer, P. Lechner, H. Schade and H. Rübel
Process technology for mass production of large-area a-Si solar modules 347

G. Tao, M. Zeman and J.W. Metselaar
Accurate generation rate profiles in a-Si:H solar cells with textured TCO substrates 359

T. Sawada, N. Terada, T. Takahama, H. Tarui, M. Tanaka, S. Tsuda and S. Nakano
Numerical approach for high-efficiency a-Si solar cells 367

S. Wagner, K. Vasanth, M. Nakata, J. Yang and S. Guha
Measuring and modelling of a-Si,Ge : H solar cells 373

T. Ikeda, K. Sato, Y. Hayashi, Y. Wakayama, K. Adachi and H. Nishimura
Surface microstructures of ZnO coated SnO_2 : F films 379

F. Smole, M. Topič and J. Furlan
Amorphous silicon solar cell computer model incorporating the effects of TCO/a-Si : C : H junction 385

P. Popović, J. Furlan and W. Kusian
The wave nature of light in computer analysis of solar cells 393

W. Ma, C.C. Lim, T. Saida, H. Okamoto and Y. Hamakawa
Microcrystalline silicon carbide — New useful material for improvement of solar cell performance 401

AMORPHOUS SILICON ALLOYS AND RELATED MATERIALS

T. Fujii, K. Sameshima, H. Okada, K. Yoshida, T. Hashimoto, M. Yoshimoto, T. Fuyuki and H. Matsunami
Characterization of hydrogenated amorphous silicon–carbon films deposited by hybrid-plasma CVD 409

P. Sichanugrist, T. Sasaki, A. Asano, Y. Ichikawa and H. Sakai
Amorphous silicon oxide and its application to metal/n-i-p/ITO type a-Si solar cells 415

K. Sayama, A. Terakawa, M. Shima, E. Maruyama, K. Ninomiya, H. Tarui, S. Tsuda and S. Nakano
Control of a-SiGe:H film quality with regard to its composition 423

H. Deki, M. Ohmura, S. Miyazaki and M. Hirose
Narrow-bandgap a-Ge:H/a-Si:H multilayers for amorphous silicon-based solar cells 431

S. Takeuchi, H. Hirose, S. Nitta, T. Itoh and S. Nonomura
Optical properties of random amorphous multilayers a-Si:H/a-Si_3N_{4+x}:H 439

S. Fujikake, H. Ota, M. Ohsawa, T. Hama, Y. Ichikawa and H. Sakai
Light-induced recovery of a-Si solar cells 449

STABILITY OF AMORPHOUS SILICON MATERIALS

R.E.I. Schropp, M.B. von der Linden, J. Daey Ouwens and H. de Gooijer
Apparent "gettering" of the Staebler–Wronski effect in amorphous silicon solar cells 455

K. Asaoka ,, M. Izumina, Y. Tawada, T. Hama, M. Itoh, Y. Suzuki, M. Ohnishi and R. Shimokawa
Current-induced degradation method for stabilization of a-Si solar cell 465

S. Igari, J. Nose, T. Hiruma, F. Nagamine and K. Fujisawa
Accelerated degradation test method for a-Si PV modules 473

K. Takahisa, K. Nakamura, S. Nakazawa, Y. Sugiyama, J. Nose, S. Igari and T. Hiruma
Long-term reliability of amorphous silicon solar cells 485

H. Tanaka, N. Ishiguro, T. Miyashita, N. Yanagawa, M. Sadamoto, M. Koyama, Y. Ashida and N. Fukuda
Fabricating high performance a-Si solar cells by alternately repeating deposition and hydrogen plasma treatment method 493

NEW FABRICATION TECHNOLOGY

K. Yamamoto, T. Suzuki, K. Kondo, T. Okamoto, M. Yamaguchi, M. Izumina and Y. Tawada
Low temperature Si crystal growth by alternating deposition and hydrogen etching sequences and its application to the p-layer of a-Si:H solar cells 501

K.C. Park, S.K. Kim, M. Park, J.M. Jun, K.H. Lee and J. Jang
Growth of high quality microcrystalline silicon by layer-by-layer deposition technique 509

T. Yokoi, M. Azuma, H. Ishida and I. Shimizu
Fabrication of stable hydrogenated amorphous silicon from SiH_2Cl_2 by ECR-hydrogen-plasma 517

S. Muramatsu, R. Suzuki, L. Wei and S. Tanigawa
Microvoids in a-Si:H and a-SiGe:H alloys 525

CHARACTERIZATION OF AMORPHOUS SILICON MATERIALS

A. Mettler, N. Wyrsch, M. Goetz and A. Shah
Deep defect determination by the constant photocurrent method (CPM) in annealed or light soaked amorphous hydrogenated silicon (a-Si:H) 533

M. Sasaki, S. Okamoto, Y. Hishikawa, S. Tsuda and S. Nakano
Characterization of the defect density and band tail of an a-Si:H i-layer for solar cells by improved CPM measurements 541

S. Nonomura, T. Nishiwaki, E. Nishimura, S. Hasegawa, T. Itoh and S. Nitta
Characterization of high quality a-Si:H for solar cells at low energy and at low temperature by PDS 549

M. Zeman, J.A. Willemen, S. Solntsev and J.W. Metselaar
Extraction of amorphous silicon solar cell parameters by inverse modelling 557

T. Ohira, T. Inamuro and T. Adachi
Molecular dynamics simulation of amorphous silicon with Tersoff potential 565

L.Q. Li, G.Q. Pan, H.W. Diao, X.B. Liao and Z.P. You
Effects of 1 MeV-electron irradiation on a-Si solar cells 571

Announcement 577

Book Reviews and Conference Announcements 579

Author Index Volume 34 581

Subject Index Volume 34 590

Contents Volume 34 606

Selected Back Issues 613